KEYWORD INDEX

ADCC
cyclophosphamide; Fc receptor (Palermo, M. S., 83)
ADF
interleukin-2; IL-2 receptor; ATL (Tagaya, Y., 221)
ATL
interleukin-2; IL-2 receptor; ADF (Tagoya, Y., 221)
accessory cell
dendritic cell; monocyte; adherent cell (Vakkila, J., 229)
activated B cell
B-cell growth and differentiation factor; TRF/IL-5; IL-2 receptor expression (Harada, N., 205)
acute glomerulonephritis
T cell subset; acute rheumatic fever; rheumatic heart disease (Bhatnagar, P. K., 217)
acute rheumatic fever
T cell subset; rheumatic heart disease; acute glomerulonephritis (Bhatnagar, P. K., 217)
adenosine deaminase
adenosine kinase; hypoxanthine-guanine phosphoribosyltransferase; purine nucleoside phosphorylase; immunodeficiency; cord blood lymphocyte; neonate (Renouf, J. A., 161)
adenosine kinase
adenosine deaminase; hypoxanthine-guanine phosphoribosyltransferase; purine nucleoside phosphorylase; immunodeficiency; cord blood lymphocyte; neonate (Renouf, J. A., 161)
adherent cell
dendritic cell; monocyte; accessory cell (Vakkila, J., 229)
adjuvant
liposome; estradiol; bovine serum albumin conjugate; antigen entrapped; antigen coupled (Latif, N. A., 237)
albumin-IgA complexes
structure; α1-antitrypsin-IgA complexes; IgA-proteases; pepsin digestion (Vaerman, J. P., 67)
allelic exclusion
B lymphocyte; immunoglobulin kappa gene rearrangement; kappa allotype (rat) (Cherepakhin, V. V., 33)
anaphylactic shock
anaphylaxis; passive cutaneous anaphylaxis; IgE; mast cell degranulation; enkephalin; neuropeptide (Jankovic, B. D.)
anaphylaxis
anaphylactic shock; passive cutaneous anaphylaxis; IgE; mast cell degranulation; enkephalin; neuropeptide (Jankovic, B. D.)
anti-DNA antibody
isoelectric focusing; heterogeneity; avidity (Yoshida, M., 139)
anti-elastin peptide antibody
DOT immunobinding assay; diabetes mellitus; hypertension; obliterative arteriosclerosis; ischemic heart disease (Bako, G., 187)
anti-idiotypic antibody
IgG; Graves' disease; TSH receptor antibody (Hawe, B. S., 95)
antibody
ovalbumin; 3T3; fibroblast receptor; cross-reactivity; DNA synthesis; immunofluorescence (Mangalo, R., 9)
antibody response
tolerogen; polyethylene glycol; monoclonal antibody; therapy (Wilkinson, I., 17)
antigen coupled
liposome; adjuvant; estradiol; bovine serum albumin conjugate; antigen entrapped (Latif, N. A., 237)
antigen entrapped
liposome; adjuvant; estradiol; bovine serum albumin conjugate; antigen coupled (Latif, N. A., 237)
antigen presentation
antigen specific monoclonal B cell; oligopeptide (Watanabe, M., 133)
antigen specific monoclonal B cell
antigen presentation; oligopeptide (Watanabe, M. 133)
autoimmunity
interstitial nephritis; cyclosporin A; basement membrane antibody; experimental kidney disease (Thoenes, G. H., 301)
avidity
anti-DNA antibody; isoelectric focusing; heterogeneity (Yoshida, M., 139)

B cell
purification; panning; differentiation; rat (Severson, C. D., 291)
B cell development
X-linked immunodeficiency; X chromosome mosaicism (Baum, C. M., 179)
B cell differentiation factor/BSF-2
interleukin; IL-1α; IL-4; IL-5; BSF-MP6; IL-2 receptor expression (Noma, T., 249)
B-cell growth and differentiation factor
TRF/IL-5; activated B cell; IL-2 receptor expression (Harada, N., 205)
B lymphocyte
allelic exclusion; immunoglobulin kappa gene rearrangement; kappa allotype (rat) (Cherepakhin, V. V., 33)
BSF-MP6
interleukin; IL-1α; IL-4; IL-5; B-cell differentiation factor/BSF-2; IL-2 receptor expression (Noma, T., 249)
bacterial porin
mitogen; peptide mitogen; polyclonal B-cell activator (PBA); human B-cell stimulation (Vordermeier, H. M., 121)
basement membrane antibody
interstitial nephritis; cyclosporin A; autoimmunity; Experimental kidney disease (Thoenes, G. H., 301)
bone marrow macrophage
lipoprotein lipase; J774.1; cell; lipopolysaccharide; tumor necrosis factor; interleukin 1 (Sopher, O., 261)

bovine serum albumin conjugate
liposome; adjuvant; estradiol; antigen entrapped; antigen coupled (Latif, N. A., 237)
bronchoalveolar lavage
ELISA; immunoblot; C2; serum (Greffard, A., 145)

C2
complement; interferon; monocyte (Ujhelyi, E., 41)
C2
ELISA; immunoblot; serum; bronchoalveolar lavage (Greffard, A., 145)
CAMPATH-1 antibody
red cell antigen, inheritance of; cynomolgus monkey (de Giorgi, L., 101)
calcium influx
lymphotoxin; tumor necrosis factor; membrane fluidity; stopped-flow fluorometry (Kobayashi, Y., 53)
cancer
peripheral blood mononuclear cells; thymocytes; malnutrition (Garraud, O., 73)
carrageenan
plaque forming cell; specific suppression; immune response-associated molecule; immunofluorescence; microlymphocytotoxicity (Palanivel, V., 335)
cell membrane
yeast glycan; cell migration; endogenous lectin; radioprotection (Topalova, S., 297)
cell migration
yeast glycan; endogenous lectin; cell membrane; radioprotection (Topalova, S., 297)
cellular immunity
IS (immunosuppressive substance); PSK; Walker 256 (Fujii, M., 347)
chemiluminescence
superoxide; ferricytochrome C; desferal (Wilhelm, J., 329)
complement
C2; interferon; monocyte (Ujhelyi, E., 41)
cord blood lymphocyte
adenosine deaminase; adenosine kinase; hypoxanthine-guanine phosphoribosyltransferase; purine nucleoside phosphorylase; immunodeficiency; neonate (Renouf, J. A., 161)
corticosterone
macrophage; interleukin 1 (II-1); prostaglandin E_2 (PGE_2) (Krymskaya, L. G., 307)
cross-reactivity
ovalbumin; antibody; 3T3; fibroblast receptor; DNA synthesis; immunofluorescence (Mangalo, R., 9)
cyclophosphamide
ADCC; Fc receptor (Palermo, M. S., 83)
cyclosporin
tolerance; skin-graft rejection (Gorczynski, R. M., 193)
cyclosporin A
interstitial nephritis; basement membrane antibody; autoimmunity; experimental kidney disease (Thoenes, G. H., 301)
cynomolgus monkey
red cell antigen; inheritance of; CAMPATH-1 antibody (de Giorgi, L., 101)
cytotoxic T lymphocyte
suppressor T lymphocyte; limiting dilution analysis; Interleukin 2 consumption (Leroux-Roels, G., 59)

DNA synthesis
ovalbumin; antibody; 3T3; fibroblast receptor; cross-reactivity; immunofluorescence (Mangalo, R., 9)
DOT immunobinding assay
anti-elastin peptide antibody; diabetes mellitus; hypertension; obliterative arteriosclerosis; ischemic heart disease (Bako, G., 187)
degranulation
interleukin 2; neutrophil; respiratory burst (Kowanko, I. C., 285)
dendritic cell
monocyte; accessory cell; adherent cell (Vakkila, J., 229)
density of surface antigen
systemic lupus erythematosus; immunofluorescence; flow cytometry (Szegedi, G., 243)
deoxycytidinkinase
lymphocyte; differentiation; thymidine kinase; salvage (Taljanidisz, J., 109)
desferal
superoxide; ferricytochrome C; chemiluminescence (Wilhelm, J., 329)
diabetes mellitus
anti-elastin peptide antibody; DOT immunobinding assay; hypertension;. obliterative arteriosclerosis; uschemic heart disease (Bako, G., 187)
differentiation
lymphocyte; deoxycytidine kinase; thymidine kinase; salvage (Taljanidisz, J., 109)
differentiation
B cell; purification; panning; rat (Severson, C. D., 291)
differentiation
macrophage; lymphocyte; monoclonal antibody; flow cytometry; fluorescence microscopy; membrane antigen (Perry, H. R., 341)

E-receptor
mycobacterium leprae; leprosy; unresponsiveness; immunofluorescence; lymphoproliferation (Muthukkaruppan, V., 199)
ELISA
immunoblot; C2; serum; bronchoalveolar lavage (Greffard, A., 145)
endogenous lectin
yeast glycan; cell migration; cell membrane; radioprotection (Topalova, S., 297)
enkephalin
anaphylaxis; anaphylactic shock; passive cutaneous anaphylaxis; IgE; mast cell degranulation; neuropeptide (Jankovic, B. D.)
entrapped
liposome; lysozyme; surface-coupled; immune response (Latif, N. A., 45)
estradiol
liposome; adjuvant; bovine serum albumin conjugate; antigen entrapped; antigen coupled (Latif, N. A., 237)
experimental kidney disease
interstitial nephritis; cyclosporin A; Basement membrane antibody; autoimmunity (Thoenes, G. H., 301)

Fc receptor
cyclophosphamide; ADCC (Palermo, M. S., 83)

ferricytochrome C
superoxide; chemiluminescence; desferal (Wilhelm, J., 329)
fibroblast receptor
ovalbumin; antibody; 3T3; cross-reactivity; DNA synthesis; immunofluorescence (Mangalo, R., 9)
flow cytometry
systemic lupus erythematosus; density of surface antigen; immunofluorescence (Szegedi, G., 243)
flow cytometry
macrophage; lymphocyte; monoclonal antibody; fluorescence microscopy; membrane antigen; differentiation (Perry, H. R., 341)
fluorescence microscopy
macrophage; lymphocyte; monoclonal antibody; flow cytometry; membrane antigen; differentiation (Perry, H. R., 341)

Graves' IgG
ILA-DR antigens; IFN-γ; thyroid epithelial cells (Bodolay, E., 77)
Graves' disease
IgG; anti-idiotypic antibody; TSH receptor antibody (Hawe, B. S., 95)

HLA-DR antigens
Graves' IgG; IFN-γ; thyroid epithelial cells (Bodolay, E., 77)
heat-aggregated IgG complex
laser nephelometry; molecular masses (Ostreiko, K. K., 311)
heterogeneity
anti-DNA antibody; isoelectric focusing; avidity (Yoshida, M., 139)
human B-cell stimulation
bacterial porin; mitogen; peptide mitogen; polyclonal B-cell activator (PBA) (Vordermeier, H. M., 121)
human lymphocyte
α1-acid glycoprotein; immunofluorescence; lymphocyte membrane; lymphocyte activation (Dirienzo, W., 167)
human monoclonal antibody
sensitization in vitro; sheep red blood cell; human – human B cell hybridoma (Terashima, M., 89)
human serum, normal
lymphocyte ADCC; monocyte ADCC; immune complex (Geffner, J. R., 255)
human – human B cell hybridoma
sensitization in vitro; sheep red blood cell; human monoclonal antibody (Terashima, M., 89)
hydroxyurea treatment
trypanosoma cruzi infection; IL-2 production; response to IL-2 (Fucs, R., 317)
hypertension
anti-elastin peptide antibody; DOT immunobinding assay; diabetes mellitus; obliterative arteriosclerosis; ischemic heart disease (Bako, G., 187)
hypoxanthine-guanine phosphoribosyltransferase
adenosine deaminase; adenosine kinase; purine nucleoside phosphorylase; immunodeficiency; cord blood lymphocyte; neonate (Renouf, J. A., 161)

IFN-γ
HLA-DR antigens; Graves' IgG; thyroid epithelial cells (Bodolay, E., 77)

IgA-proteases
structure; albumin-IgA complexes; α1-antitrypsin-IgA complexes; pepsin digestion (Vaerman, J. P., 67)
IgE
anaphylaxis; anaphylactic shock; passive cutaneous anaphylaxis; Mast cell degranulation; enkephalin; neuropeptide (Jankovic, B. D.)
IgG
Graves' disease; anti-idiotypic antibody; TSH receptor antibody (Hawe, B. S., 95)
IgM
J-chain; polymerization; in vitro (Bouvet, J.-P., 27)
IL-1α
interleukin; IL-4; IL-5; B-cell differentiation factor/BSF-2; BSF-MP6; IL-2 receptor expression (Noma, T., 249)
IL-2 production
trypanosoma cruzi infection; response to IL-2; hydroxyurea treatment (Fucs, R., 317)
IL-2 receptor expression
B-cell growth and differentiation factor; TRF/IL-5; activated B cell (Harada, N., 205)
IL-2 receptor
interleukin-2; ADF; ATL (Tagaya, Y., 221)
IL-2 receptor expression
interleukin; IL-1α; IL-4; IL-5; B-cell differentiation factor/BSF-2; BSF-MP6 (Noma, T., 249)
IL-4
interleukin; IL-1α; IL-5; B-cell differentiation factor/BSF-2; BSF-MP6; IL-2 receptor expression (Noma, T., 249)
IL-5
interleukin; IL-1α; IL-4; B-cell differentiation factor/BSF-2; BSF-MP6; IL-2 receptor expression (Noma, T., 249)
immune complex
lymphocyte ADCC; monocyte ADCC; human serum, normal (Geffner, J. R., 255)
Immune response
liposome; lysozyme; surface-coupled; entrapped (Latif, N. A., 45)
immune response-associated molecule
carrageenan; plaque forming cell; specific suppression; immunofluorescence; micro-lymphocytotoxicity (Palanivel, V., 335)
immunoblot
ELISA; C2; serum; bronchoalveolar lavage (Greffard, A., 145)
immunodeficiency
adenosine deaminase; adenosine kinase; hypoxanthine-guanine phosphoribosyltransferase; purine nucleoside phosphorylase; cord blood lymphocyte; neonate (Renouf, J. A., 161)
immunodeficiency
murine leukemia virus; wasted mutant mouse; retrovirus; lymphoid organ (Kaiserlian, D., 277)
immunofluorescence
ovalbumin; antibody; 3T3; fibroblast receptor; cross-reactivity; DNA synthesis (Mangalo, R., 9)
immunofluorescence
α1-acid glycoprotein; human lymphocyte; lymphocyte membrane; lymphocyte activation (Dirienzo, W., 167)
immunofluorescence
E-receptor; *mycobacterium leprae*; leprosy; unresponsiveness; lymphoproliferation (Muthukkaruppan, V., 199)

immunofluorescence
systemic lupus erythematosus; density of surface antigen; flow cytometry (Szegedi, G., 243)
immunofluorescence
carrageenan; plaque forming cell; specific suppression; immune response-associated molecule; micro-lymphocytotoxicity (Palanivel, V., 335)
immunoglobulin kappa gene rearrangement
allelic exclusion; B lymphocyte; kappa allotype (rat) (Cherepakhin, V. V., 33)
immunoglobulin
klebsiella: pulmonary tuberculosis (Sela, O., 117)
in vitro
IgM; J-chain; polymerization (Bouvet, J.-P., 27)
inheritance of
red cell antigen CAMPATH-1 antibody; cynomolgus monkey (de Giorgi, L., 101)
interferon
complement; C2; monocyte (Ujhelyi, E., 41)
interferon
NK cell; lysis resistance; interleukin-2; mouse lymphoma (Saxena, R. K., 105)
interleukin 2 activated killing
low density cell; natural killing; pre-Ng cells (Lange, J., 1)
interleukin 2 consumption
cytotoxic T lymphocyte; suppressor T lymphocyte; limiting dilution analysis (Leroux-Roels, G., 59)
interleukin 2
NK cell; lysis resistance; interferon; mouse lymphoma (Saxena, R. K., 105)
interleukin 2
IL-2 receptor; ADF; ATL (Tagaya, Y., 221)
interleukin
IL-1α; IL-4; IL-5; B-cell differentiation factor/BSF-2; BSF-MP6; IL-2 receptor expression (Noma, T., 249)
interleukin 1
lipoprotein lipase; J774.1 cell; bone marrow macrophage; lipopolysaccharide; tumor necrosis factor (Sopher, O., 261)
interleukin 2
neutrophil; respiratory burst; degranulation (Kowanko, I. C., 285)
interleukin 1 (Il-1)
macrophage; corticosterone; prostaglandin E_2 (PGE_2) (Krymskaya, L. G., 307)
interstitial nephritis
cyclosporin A; basement membrane antibody; autoimmunity; experimental kidney disease (Thoenes, G. H., 301)
iron
lymphocyte proliferation; transferrin; serum-free medium (Brock, J. H., 23)
IS (immunosuppressive substance)
PSK; Walker 256; cellular immunity (Fujii, M., 347)
ischemic heart disease
anti-elastin peptide antibody; DOT immunobinding assay; diabetes mellitus; hypertension; obliterative arteriosclerosis (Bako, G., 187)
isoelectric focusing
anti-DNA-antibody; heterogeneity; avidity (Yoshida, M., 139)

J-chain
IgM; polymerization; in vitro (Bouvet, J.-P., 27)
J774.1 cell
lipoprotein lipase; bone marrow macrophage; lipopolysaccharide; tumor necrosis factor; interleukin 1 (Sopher, O., 261)

kappa allotype (rat)
allelic exclusion; B lymphocyte; immunoglobulin kappa gene rearrangement (Cherepakhin, V. V., 33)
klebsiella
pulmonary tuberculosis; immunoglobulin (Sela, O., 117)

laser nephelometry
heat-aggregated IgG complex; molecular masses (Ostreiko, K. K., 311)
leprosy
E-receptor; *mycobacterium leprae*; unresponsiveness; immunofluorescence; lymphoproliferation (Muthukkaruppan, V., 199)
limiting dilution analysis
cytotoxic T lymphocyte; suppressor T lymphocyte; interleukin 2 consumption (Leroux-Roels, G., 59)
lipopolysaccharide
lipoprotein lipase; J774.1 cell; bone marrow macrophage; tumor necrosis factor; interleukin 1 (Sopher, O., 261)
lipoprotein lipase
J774.1 cell; bone marrow macrophage; lipopolysaccharide; tumor necrosis factor; interleukin 1 (Sopher, O., 261)
liposome
lysozyme; surface-coupled; entrapped; immune response (Latif, N. A., 45)
liposome
adjuvant; estradiol; bovine serum albumin conjugate; antigen entrapped; antigen coupled (Latif, N. A., 237)
low density cell
interleukin 2 activated killing; natural killing; pre-Ng cells (Lange, J., 1)
lymophotoxin
tumor necrosis factor; membrane fluidity; calcium influx; stopped-flow fluorometry (Kobayashi, Y., 53)
lymphocyte proliferation
iron; transferrin; serum-free medium (Brock, J. H., 23)
lymphocyte
differentiation; deoxycytidine kinase; thymidine kinase; salvage (Taljanidisz, J., 109)
lymphocyte membrane
α1-acid glycoproteih; human lymphocyte; immunofluorescence; lymphocyte activation (Dirienzo, W., 167)
lymphocyte activation
α1-acid glycoprotein; human lymphocyte; immunofluorescence; lymphocyte membrane (Dirienzo, W., 167)
lymphocyte ADCC
monocyte ADCC; immune complex; human serum, normal (Geffner, J. R., 255)
lymphocyte
macrophage; monoclonal antibody; flow cytometry; fluorescence microscopy; membrane antigen; differentiation (Perry, H. R., 341)
lymphoid organ
murine leukemia virus; wasted mutant mouse; immunodeficiency; retrovirus (Kaiserlian, D., 277)

lymphoproliferation
E-receptor; *mycobacterium leprae*; leprosy; unresponsiveness; immunofluorescence (Muthukkaruppan, V., 199)
lysis resistance
NK cell; interleukin-2; interferon; mouse lymphoma (Saxena, R. K., 105)
lysozyme
liposome; surface-coupled. entrapped; immune response (Latif, N. A., 45)

macrophage
corticosterone; interleukin 1 (Il-1); prostaglandin E_2 (PGE_2) (Krymskaya, L. G., 307)
macrophage
lymphocyte; monoclonal antibody. flow cytometry; fluorescence microscopy; membrane antigen; differentiation (Perry, H. R., 341)
malnutrition
peripheral blood mononuclear cells; thymocytes; cancer (Garraud, O., 73)
mast cell degranulation
anaphylaxis; anaphylactic shock; passive cutaneous anaphylaxis; IgE; enkephalin; neuropeptide (Jankovic, B. D.)
measles virus
natural killer cell; target recognition (Rager-Zisman, 269)
membrane antigen
macrophage; lymphocyte; monoclonal antibody; flow cytometry; fluorescence microscopy; differentiation (Perry, H. R., 341)
membrane fluidity
lymphotoxin; tumor necrosis factor; calcium influx; stopped-flow fluorometry (Kobayashi, Y., 53)
micro-lymphocytotoxicity
carrageenan; plaque forming cell; specific suppression; immune response-associated molecule; immunofluorescence (Palanivel, V., 335)
mitogen
bacterial porin; peptide mitogen; polyclonal B-cell activator (PBA); human B-cell stimulation (Vordermeier, H. M., 121)
molecular masses
heat-aggregated IgG complex; laser nephelometry (Ostreiko, K. K., 311)
monoclonal antibody
tolerogen. polyethylene glycol; antibody response; therapy (Wilkinson, I., 17)
monoclonal antibody
macrophage; lymphocyte; flow cytometry; fluorescence microscopy; membrane antigen; differentiation (Perry, H. R., 341)
monocyte
complement; C2; interferon (Ujhelyi, E., 41)
monocyte
dendritic cell; accessory cell; adherent cell (Vakkila, J., 229)
monocyte ADCC
lymphocyte ADCC; immune complex; human serum, normal (Geffner, J. R., 255)
mononuclear cells
γ-interferon; radioimmunoassay; thymopentin; rheumatoid arthritis (Mailaise, M. G., 323)
mouse
thymus; ontogeny; thymocyte subpopulation (Scollay, R., 171)
mouse lymphoma
NK cell; lysis resistance; interleukin-2; interferon (Saxena, R. K., 105)
murine B-cell activator
proteoglycan degradation (Siegel, J. N., 127)
murine leukemia virus
wasted mutant mouse; immunodeficiency; retrovirus; lymphoid organ (Kaiserlian, D., 277)
mycobacterium leprae
E-receptor; leprosy; unresponsiveness; immunofluorescence; lymphoproliferation (Muthukkaruppan, V., 199)

NK cell
lysis resistance; interleukin-2; interferon; mouse lymphoma (Saxena, R. K., 105)
natural killing
interleukin 2 activated killing; low density cell; Pre-Ng cells (Lange, J., 1)
natural killer cell
target recognition; measles virus (Rager-Zisman, 269)
neonate
adenosine deaminase; adenosine kinase; hypoxanthine-guanine phosphoribosyltransferase; purine nucleoside phosphorylase; immunodeficiency; cord blood lymphocyte (Renouf, J. A., 161)
neuropeptide
anaphylaxis; anaphylactic shock; passive cutaneous anaphylaxis; IgE; mast cell degranulation; enkephalin (Jankovic, B. D.)
neutrophil
interleukin 2; respiratory burst; degranulation (Kowanko, I. C., 285)

obliterative arteriosclerosis
anti-elastin peptide antibody; DOT immunobinding assay; diabetes mellitus; hypertension; ischemic heart disease (Bako, G., 187)
oligopeptide
antigen presentation; antigen specific monoclonal B cell (Watanabe, M., 133)
ontogeny
mouse; thymus; thymocyte subpopulation (Scollay, R., 171)
ovalbumin
antibody; 3T3; fibroblast receptor; cross-reactivity; DNA synthesis; immunofluorescence (Mangalo, R., 9)

PSK
IS (immunosuppressive substance); Walker 256; cellular immunity (Fujii, M., 347)
panning
B cell; purification; differentiation; rat (Severson, C. D., 291)
passive cutaneous anaphylaxis
anaphylaxis; anaphylactic shock; IgE; mast cell degranulation; enkephalin; neuropeptide (Jankovic, B. D.)
pepsin digestion
structure; albumin-IgA complexes; α1-antitrypsin-IgA complexes; IgA-proteases (Vaerman, J. P., 67)
peptide mitogen
bacterial porin; mitogen; polyclonal B-cell activator (PBA); human B-cell stimulation (Vordermeier, H. M., 121)
peripheral blood mononuclear cells
thymocytes; malnutrition; cancer (Garraud, O., 73)

plaque forming cell
carrageenan; specific suppression; immune response-associated molecule; immunofluorescence; micro-lymphocytotoxicity (Palanivel, V., 335)
polyclonal B-cell activator (PBA)
bacterial porin; mitogen; peptide mitogen; human B-cell stimulation (Vordermeier, H. M.,121)
polyethylene glycol
tolerogen; antibody response; monoclonal antibody; therapy (Wilkinson, I., 17)
polymerization
IgM; J-chain; in vitro (Bouvet, J.-P., 27)
Pre-Ng cells
interleukin 2 activated killing; low density cell; natural killing (Lange, J., 1)
prostaglandin E_2 (PGE_2)
macrophage; corticosterone; interleukin 1 (Il-1) (Krymskaya, L. G., 307)
proteoglycan degradation
murine B-cell activator (Siegel, J. N., 127)
pulmonary tuberculosis
klebsiella; immunoglublin (Sela, O., 117)
purification
B cell; panning; differentiation; rat (Severson, C. D., 291)
purine nucleoside phosphorylase
adenosine deaminase; adenosine kinase; hypoxanthine-guanine phosphoribosyltransferase; immunodeficiency; cord blood lymphocyte; neonate (Renouf, J. A., 161)

radioimmunoassay
γ-interferon; mononuclear cells; thymopentin; rheumatoid arthritis (Malaise, M. G., 323)
radioprotection
yeast glycan; cell migration; endogenous lectin; cell membrane (Topalova, S., 297)
rat
B cell; purification; panning; differentiation (Severson, C. D., 291)
red cell antigen
inheritance of; CAMPATH-1 antibody; cynomolgus monkey (de Giorgi, L., 101)
respiratory burst
interleukin 2; neutrophil; degranulation (Kowanko, I. C., 285)
response to IL-2
trypanosoma cruzi infection; IL-2 production; hydroxyurea treatment (Fucs, R., 317)
retrovirus
murine leukemia virus; wasted mutant mouse; immunodeficiency; lymphoid organ (Kaiserlian, D., 277)
rheumatic heart disease
T cell subset; acute reumatic fever; acute glomerulonephritis (Bhatnagar, P. K., 217)
rheumatoid arthritis
γ-interferon; radioimmunoassay; mononuclear cells; thymopentin (Malaise, M. G. 323)

salvage
lymphocyte; differentiation;. deoxycytidine kinase; thymidine kinase (Taljanidisz, J., 109)
sensitization in vitro
sheep red blood cell; human – human B cell hybridoma; human monoclonal antibody (Terashima, M., 89)
serum
ELISA; immunoblot; C2; bronchoalveolar lavage (Greffard, A., 145)
serum-free medium
iron; lymphocyte proliferation; transferrin (Brock, J. H., 23)
sheep red blood cell
sensitization in vitro; human – human B cell hybridoma; human monoclonal antibody (Terashima, M., 89)
skin-graft rejection
tolerance; cyclosporin (Gorczynski, R. M., 193)
specific suppression
carrageenan; plaque forming cell; immune response-associated molecule; immunofluorescence; micro-lymphocytotoxicity (Palanivel, V., 335)
stopped-flow fluorometry
lymophotoxin; tumor necrosis factor; membrane fluidity; calcium influx (Kobayashi, Y., 53)
structure
albumin-IgA complexes; α1-antitrypsin-IgA complexes; IgA-proteases; pepsin digestion (Vaerman, J. P. 67)
superoxide
ferricytochrome C; chemiluminescence; desferal (Wilhelm, J., 329)
suppressor T lymphocyte
cytotoxic T lymphocyte; limiting dilution analysis; interleukin 2 consumption (Leroux-Roels, G., 59)
surface-coupled
liposome; lysozyme; entrapped; immune response (Latif, N. A., 45)
systemic lupus eruthematosus
density of surface antigen; immunofluorescence; flow cytometry (Szegedi, G., 243)

3T3
ovalbumin; antibody; fibroblast receptor; cross-reactivity; DNA synthesis; immunofluorescence (Mangalo, R., 9)
T cell subset
acute rheumatic fever; rheumatic heart disease; acute glomerulonephritis (Bhatnagar, P. K., 217)
TRF/IL-5
B-cell growth and differentiation factor; activated B cell; IL-2 receptor expression (Harada, N., 205)
TSH receptor antibody
IgG; Graves' disease; anti-idiotype antibody (Hawe, B. S., 95)
target recognition
natural killer cell; measles virus (Rager-Zisman, 269)
therapy
tolerogen;. polyethylene glycol; antibody response; monoclonal antibody (Wilkinson, I., 17)
thymidine kinase
lymphocyte; differentiation; deoxycytidine kinase; salvage (Taljanidisz, J., 109)
thymocyte subpopulation
mouse; thymus; ontogeny (Scollay, R., 171)
thymocytes
peripheral blood mononuclear cells; malnutrition; cancer (Garraud, O., 73)

thymopentin
γ-interferon; radioimmunoassay; mononuclear cells; rheumatoid arthritis (Malaise, M. G., 323)
thymus
mouse; ontogeny; thymocyte subpopulation (Scollay, R., 171)
thyroid epithelial cells
HLA-DR antigens; Graves' IgG; IFN-γ (Bodolay, E., 77)
tolerance
cyclosporin; skin-graft rejection (Gorczynski, R. M., 193)
tolerogen
polyethylene glycol; antibody response; monoclonal antibody; therapy (Wilkinson, I., 17)
transferin
iron; lymphocyte proliferation; serum-free medium (Brock, J. H., 23)
***trypanosoma cruzi* infection**
IL-2 production; response to IL-2; hydroxyurea treatment (Fucs, R., 317)
tumor necrosis factor
lymophotoxin; membrane fluidity; calcium influx; stopped-flow fluorometry (Kobayashi, Y., 53)
tumor necrosis factor
lipoprotein lipase; J774.1 cell; bone marrow macrophage; lipopolysaccharide; interleukin 1 (Sopher, O., 261)

unresponsiveness
E-receptor; *mycobacterium leprae*; leprosy; immunofluorescence; lymphoproliferation (Muthukkaruppan, V., 199)

Walker 256
IS (immunosuppressive substance); PSK; cellular immunity (Fujii, M., 347)
wasted mutant mouse
murine leukemia virus; immunodeficiency; retrovirus; lymphoid organ (Kaiserlian, D., 277)

X chromosome mosaicism
X-linked immunodeficiency; B cell development (Baum, C. M., 179)
X-linked immunodeficiency
X chromosome mosaicism; B cell development (Baum, C. M., 179)

Yeast glycan
cell migration; endogenous lectin; cell membrane; radioprotection (Topalova, S., 297)

α 1-Acid glycoprotein
human lymphocyte; immunofluorescence; lymphocyte membrane; lymphocyte activation (Dirienzo, W., 167)
α1-antitrypsin-IgA complexes
structure; albumin-IgA complexes; IgA-proteases; pepsin digestion (Vaerman, J. P., 67)
γ-interferon
radioimmunoassay; mononuclear cells; thymopentin; rheumatoid arthritis (Malaise, M. G., 323)

AUTHOR INDEX

Antoni, F., see Taljanidisz, J., 109

Bachhawat, B. K., see Latif, N. A., 45
Bako, Gy., Jacob, M. P., Fulop, Jr., T., Foris, G., Leovey, A. and Robert, L., Immunology of elastin; study of anti-elastin peptide antibodies by DOT immunobinding assay, 187
Balazs, C., see Bodolay, E., 77
Ballart, I., see Palermo, M. S., 83
Barcinski, M. A., see Fucs, R., 317
Bastings, M., see Malaise, M. G., 323
Baum, C. M., Macke, K. A. and Nahm, M. H., Study of the DBA/2Ha immunodeficiency: X-chromosome mosaicism and in vivo immunoresponses, 179
Berg, K. A., see Perry, H. R., 341
Bernier, J., see Malaise, M. G., 323
Bessler, W. G., see Vordermeier, H. M., 121
Bhatnagar, P. K., Nijhawan, R. and Prakash, K., T cell subsets in acute rheumatic fever, rheumatic heart disease and acute glomerulonephritis cases, 217
Bodolay, E., Szegedi, G., Suranyi, P., Juhasz, F., Stenszky, V., Balazs, C. and Farid, N. R., Expression of HLA-DR antigens by thyroid cells: the effect of Graves' IgG, 77
Bourgarit, J.-J., see Greffard, A., 145
Bouvet, J.-P., Pirès, R., Iscaki, S. and Pillot, J., IgM reassociation in the absence of J-chain, 27
Brent, L., see De Giorgi, L., 101
Brock, J. H. and Stevenson, J., Replacement of transferrin in serum-free cultures of mitogen-stimulated mouse lymphocytes by a lipophilic iron chelator, 23
Brzák, P., see Wilhelm, J., 329
Burg, D. L., see Severson, C. D., 291

Canonica, G. W., see Dirienzo, W., 167
Chakkalath, H. R., see Muthukkaruppan, V., 199
Chalmers, A. H., see Renouf, J. A., 161
Cherapakhin, V. V., Jackubov, L. Z., Ibraghimov, A. R., and Rokhlin, O. V., Allelic exclusion frequency analysis and molecular characteristics of immunoglobulins secreted by the hybridomas expressing both allelic genes, 33

Daculsi, R., see Garraud, O., 73
Damjanovich, S., see Szegedi, G., 243
Davies, T. F., see Hawe, B. S., 95
De Giorgi, L., Brent, L., Linch, D., Nicolaides, K. and Rodeck, C. H., The inheritance of a *Macaca fascicularis* red cell antigen detected by CAMPATH-1 antibody, 101
Dirienzo, W., Stefanini, G. F., Miribel, L., Paulling, E. E., Canonica, G. W. and Fudenberg, H. H., α1-Acid glycoprotein (α1-AGP) on the membrane of human lymphocytes: possible involvement in cellular activation, 167
Do Quang Minh, see Ujhelyi, E., 41
Doligez-Chambost, A., see Mangalo, R., 9
Drexler, H., see Vordermeier, H. M., 121

El-Roeiy, A., see Sela, O., 117
Ernst, M., see Lange, A., 1

Farid, N. R., see Bodolay, E., 77
Farid, N. R., see Hawe, B. S., 95
Feldbush, T. L., see Severson, C. D., 291
Ferrante, A., see Kowanko, I. C., 285
Fiers, W., see Leroux-Roels, G., 59
Flad, H.-D., see Lange, A., 1
Foris, G., see Bako, Gy., 187
Fox, B. A., see Perry, H. R., 341
Franchimont, P., see Malaise, M. G., 323
Francis, J. W., see Perry, H. R., 341
Frère, M. C., see Malaise, M. G., 323
Fucs, R. and Barcinski, M. A., Effect of hydroxyurea on the concanavalin-A proliferative response of *Trypanosoma cruzi* infected mice, 317
Fudenberg, H. H., see Dirienzo, W., 167
Fujii, M., Fujii, T., Saito, K., Takahashi, N., Yoshikumi, C., Kakuchi, J. and Kawai, Y., Tumor growth promoting activity of an immunosuppressive substance and its modulation by protein-bound polysaccharide PSK, 347
Fujii, T., see Fujii, M., 347
Fulop, Jr., T., see Bako, Gy., 187
Füst, G., see Ujhelyi, E., 41

Garraud, O., Daculsi, R., Merlio, J.-P., Lobera, A. and Legrand, E., Detection of CD1 positive cells in the peripheral blood of patients suffering from cancer-associated malnutrition, 73
Geffner, J. R., Giordano, M., Serebrinsky, G. P., Palermo, M. S. and Isturiz, M. A., Inhibition of lymphocyte and monocyte antibody-dependent cellular cytotoxicity by immune complexes: effect of normal human serum, 255
Geffner, J. R., see Palermo, M. S., 83
Giordano, M., see Geffner, J. R., 255
Giordano, M., see Palermo, M. S., 83
Goldman, R., see Sopher, O., 261
Goldstein, G., see Malaise, M. G., 323
Gorczynski, R. M. and Holmes, W., Cyclosporin alters the induction of allospecific tolerance in vivo, 193
Greffard, A., Bourgarit, J.-J., Le Maho, S. and Lambré, C. R., Determination of the complement component C2 by ELISA in human serum and bronchoalveolar lavage fluids, 145
Gromykhina, N. Yu., see Krymskaya, L. G., 307
Grooten, J., see Leroux-Roels, G., 59

Hagiwara, K., see Vaerman, J. P., 67
Hamashima, Y., see Yoshida, M., 139
Harada, N., Matsumoto, M., Koyama, N., Shimizu, A., Honjo, T., Tominaga, A. and Takatsu, K., T cell replacing factor/interleukin 5 induces not only B-cell growth and differentiation, but also increased expression of interleukin 2 receptor on activated B-cells, 205
Hawe, B. S., Davies, T. F. and Farid, N. R., An anti-idiotype antibody against Graves' IgG, 95
Hirano, T., see Noma, T., 249
Holford-Strevens, V., see Wilkinson, I., 17
Holmes, W., see Gorczynski, R. M., 193
Honjo, T., see Harada, N., 205
Honjo, T., see Noma, T., 249
Honjo, T., see Tagaya, Y., 221
Hooghe, R. J., see Topalova, S., 297
Howell, M. D., see Kaiserlian, D., 277
Hozumi, N., see Watanabe, M., 133
Hurme, M., see Vakkila, J., 229

Ibraghimov, A. R., see Cherepakhin, V. V., 33
Iscaki, S., see Bouvet, J.-P., 27
Isturiz, M. A., see Geffner, J. R., 255
Isturiz, M. A., see Palermo, M. S., 83

Jacak, A., see Lange, A., 1
Jackson, C.-J. C., see Wilkinson, I., 17
Jackubov, L. Z., see Cherepakhin, V. V., 33
Jacob, M. P., see Bako, Gy., 187
James, M. M., see Muthukkaruppan, V., 199
Janković, B. D. and Marić, D., Enkephalin and anaphylactic shock: modulation and prevention of shock in the rat, 153
Jazwiec, B., see Lange, A., 1
Juhasz, F., see Bodolay, E., 77

Kagnoff, M. F., see Kaiserlian, D., 277
Kaiserlian, D., Howell, M. D. and Kagnoff, M. F., Production of murine leukemia virus in the immunodeficient wasted mutant mouse is associated with the *wst* allele, 277
Kakuchi, J., see Fujii, M., 347
Kammer, G. M., see Siegel, J. N., 127
Kanamori, H., see Tagaya, Y., 221
Kawai, C., see Yoshida, M., 139
Kawai, Y., see Fujii, M., 347
Kishimoto, T., see Noma, T., 249
Kobayashi, K., see Vaerman, J. P., 67
Kobayashi, Y., Utsunomiya, N., Nakanishi, M. and Osawa, T., Early transmembrane events in tumor necrosis factor and lymphotoxin-induced cytotoxicity, 53
Komatsu, H., see Terashima, M., 89
Koskimies, S., see Vakkila, J., 229
Kowanko, I. C. and Ferrante, A., Interleukin 2 inhibits migration and stimulates respiratory burst and degranulation of human neutrophils in vitro, 285
Koyama, N., see Harada, N., 205
Kozlov, V. A., see Krymskaya, L. G., 307
Krymskaya, L. G., Gromykhina, N. Yu. and Kozlov, V. A., Interleukin 1 effect on adrenal gland function in mice, 307

Lafrenz, D. E., see Severson, C. D., 291
Lambré, C. R., see Greffard, A., 145
Lang, G. M., see Wilkinson, I., 17
Lange, A., Flad, H.-D., Ernst, M., Jacak, A., Jazwiec, B., Scholz, W. and Ulmer, A. J., Interleukin 2 induces appearance of LGL/Leu11$^+$/K562 lytic cells in Leu11$^-$ low density peripheral blood mononuclear cell population, 1
Langer, K. H., see Thoenes, G. H., 301
Latif, N. A. and Bachhawat, B. K., The effect of surface-coupled antigen of liposomes in immunopotentiation, 45
Latif, N. A. and Mandal, C., Liposome as an adjuvant for the production of estradiol antibodies, 237
Le Maho, S., see Greffard, A., 145
Legrand, E., see Garraud, O., 73
Lehtonen, E., see Vakkila, J., 229
Leovey, A., see Bako, Gy., 187
Leroux-Roels, G., Grooten, J. and Fiers, W., Alloinduced suppression and cytotoxicity: two functions of a single cell, 59
Linch, D., see De Giorgi, L., 101
Lobera, A., see Garraud, O., 73

Macke, K. A., see Baum, C. M., 179
Maisin, J. R., see Topalova, S., 297
Malaise, M. G., Bastings, M., Reuter, A. M., Vrindsts-Gevaert, Y., Bernier, J., Sondag, D., Frère, M. C., Goldstein, G. and Franchimont, P., In vitro effects of thymopentin on the γ-interferon production by peripheral blood mononuclear cells from normal subjects and from patients with rheumatoid arthritis, 323
Malemud, C. J., see Siegel, J. N., 127
Mandal, C., see Latif, N. A., 237
Mangalo, R., Doligez-Chambost, A. and Marcovich, H., Anti-ovalbumin antibody binds to 3T3 cells and induces DNA synthesis, 9
Marcovich, H., see Mangalo, R., 9
Maric, D., see Jankovic, B. D., 153
Matsumoto, M., see Harada, N., 205
Merlio, J.-P., see Garraud, O., 73
Miribel, L., see Dirienzo, W., 167
Mizuta, T., see Noma, T., 249
Muso, E., see Yoshida, M., 139
Muthukkaruppan, V., Chakkalath, H. R. and James, M. M., Immunologic unresponsiveness in leprosy is mediated by modulation of E-receptor, 199

Nahm, M. H., see Baum, C. M., 179
Nakanishi, M., see Kobayashi, Y., 53
Naramura, M., see Tagaya, Y., 221
Nicolaides, K., see De Giorgi, L., 101
Nijhawan, R., see Bhatnagar, P. K., 217
Nikaido, T., see Tagaya, Y., 221
Noma, T., Mizuta, T., Rosén, A., Hirano, T., Kishimoto, T. and Honjo, T., Enhancement of the interleukin 2 receptor expression on T cells by multiple B-lymphotropic lymphokines, 249

Okada, M., see Tagaya, Y., 221
Ónody, K., see Ujhelyi, E., 41

Osawa, T., see Kobayashi, Y., 53
Osawa, T., see Terashima, M., 89
Ostreiko, K. K., Tumanova, I. A. and Sykulev, Yu. K., Production and characterization of heat-aggregated IgG complexes with pre-determined molecular masses: light-scattering study, 311

Palanivel, V., Modulation of murine anti-SRBC response by carrageenan: possible mechanism, 335
Palermo, M. S., Giordano, M., Serebrinsky, G. P., Geffner, J. R., Ballart, I. and Isturiz, M. A., Cyclophosphamide augments ADCC by increasing the expression of Fc-receptors, 83
Palermo, M. S., see Geffner, J. R., 255
Paulling, E. E., see Dirienzo, W., 167
Perry, H. R., Fox, B. A., Berg, K. A. and Francis, J. W., A monoclonal antibody (BMA-1) reactive with murine B cells as well as resident and elicited but not activated macrophages, 341
Pick, A. I., see Sela, O., 117
Pillot, J., see Bouvet, J.-P., 27
Pirès, R., see Bouvet, J.-P., 27
Prakash, K., see Bhatnagar, P. K., 217

Rager-Zisman, B. and Schattner, A., Differences in susceptibility to NK cell killing of two cloned sublines derived from a single clone, 269
Renouf, J. A., Thong, Y. H. and Chalmers, A. H., Activities of purine metabolising enzymes in lymphocytes of neonates and young children: correlates with immune function, 161
Reuter, A. M., see Malaise, M. G., 323
Rits, M., see Vaerman, J. P., 67
Robert, L., see Bako, Gy., 187
Rodeck, C. H., see De Giorgi, L., 101
Rokhlin, O. V., see Cherepakhin, V. V., 33
Rosén, A., see Noma, T., 249

Saito, K., see Fujii, M., 347
Sarkardi, B., see Ujhelyi, E., 41
Sasvári-Székely, M., see Taljanidisz, J., 109
Saxena, R. K., A spleen cell derived factor imparts resistance to NK cell mediated lysis in a mouse lymphoma cell line, 105
Schattner, A., see Rager-Zisman, B., 269
Scholz, W., see Lange, A., 1
Scollay, R., Differences in Ly 2$^-$ L3T4$^-$ thymocytes from foetal and adult murine thymus, 171
Sehon, A. H., see Wilkinson, I., 17
Sela, O., El-Roeiy, A., Pick, A. I. and Shoenfeld, Y., Serum immunoglobulin levels in patients with active pulmonary tuberculosis and patients with *Klebsiella* infection, 117
Serebrinsky, G. P., see Geffner, J. R., 255
Serebrinsky, G. P., see Palermo, M. S., 83
Severson, C. D., Burg, D. L., Lafrenz, D. E. and Feldbush, T. L., An alternative method of panning for rat B lymphocytes, 291
Shimada, S., see Terashima, M., 89
Shimada, T., see Yoshida, M., 139
Shimizu, A., see Harada, N., 205
Shoenfeld, Y., see Sela, O., 117
Siegel, J. N., Malemud, C. J. and Kammer, G. M., Intact proteoglycan is a polyclonal activator of murine B-lymphocytes, 127
Sitter, T., see Thoenes, G. H., 301
Sondag, D., see Malaise, M. G., 323
Sopher, O. and Goldman, R., Bacterial lipopolysaccharide suppresses the expression of lipoprotein lipase in murine macrophages: a process independent of tumor necrosis factor or interleukin 1, 261
Spasokukotskaja, T., see Taljanidisz, J., 109
Staub, M., see Taljanidisz, J., 109
Stefanini, G. F., see Dirienzo, W., 167
Stenszky, V., see Bodolay, E., 77
Stevenson, J., see Brock, J. H., 23
Suranyi, P., see Bodolay, E., 77
Surányi, P., see Szegedi, G., 243
Suzuki, N., see Tagaya, Y., 221
Sykulev, Yu. K., see Ostreiko, K. K., 311
Szegedi, G., Surányi, P. and Damjanovich, S., Antigen density on the surface of mononuclear cells in SLE, 243
Szegedi, G., see Bodolay, E., 77

Tagaya, Y., Taniguchi, Y., Naramura, M., Okada, M., Suzuki, N., Kanamori, H., Nikaido, T., Honjo, T. and Yodoi, J., Transcription of IL-2 receptor gene is stimulated by ATL-derived factor produced by HTLV-I(+) T cell lines, 221
Takahashi, N., see Fujii, M., 347
Takatsu, K., see Harada, N., 205
Taljanidisz, J., Spasokukotskaja, T., Sasvári-Székely, M., Antoni, F. and Staub, M., Preferential utilisation of deoxycytidine by undifferentiated (peanut positive) tonsillar lymphocytes, 109
Tamura, T., see Yoshida, M., 139
Taniguchi, Y., see Tagaya, Y., 221
Terashima, M., Shimada, S., Komatsu, H. and Osawa, T., Production of human–human hybridomas secreting antibody to sheep erythrocytes after in vitro immunization of peripheral blood lymphocytes, 89
Thoenes, G. H., Umscheid, T., Sitter, T. and Langer, K. H., Cyclosporin A inhibits autoimmune experimental tubulointerstitial nephritis, 301
Thong, Y. H., see Renouf, J. A., 161
Tominaga, A., see Harada, N., 205
Topalova, S., Hooghe, R.J., Vander Plaetse, F. and Maisin, J. R., Effects of radioprotective glycans on the arrest of blood-borne lymphoma cells, 297
Tumanova, I. A., see Ostreiko, K. K., 311

Ujhelyi, E., Ónody, K., Sarkardi, B., Do Quang Minh and Füst, G., Enhancing effect of α-interferon on the C2 synthesis by cultured human monocytes, 41
Ulmer, A. J., see see Lange, A., 1
Umscheid, T., see Thoenes, G. H., 301
Utsunomiya, N., see Kobayashi, Y., 53

Vaerman, J. P., Hagiwara, K., Kobayashi, K. and Rits, M., Complexes of albumin and α1-antitrypsin with Fc-

fragment of IgA monomer are disulfide-bound to penultimate C-terminal cysteine in the Cα3-domain, 67
Vakkila, J., Lehtonen, E., Koskimies, S. and Hurme, M., Dendritic cells in human peripheral blood: effective enrichment from the nonadherent cells, 229
Vander Plaetse, F., see Topalova, S., 297
Vilim, V., see Wilhelm, J., 329
Vordermeier, H. M., Drexler, H. and Bessler, W. G., Polyclonal activation of human peripheral blood lymphocytes by bacterial porins and defined porin fragments, 121
Vrindsts-Gevaert, Y., see Malaise, M. G., 323

Watanabe, M., Yoshikawa, M. and Hozumi, N., Cytotoxic function of a cloned helper T cell line, 133
Wilhelm, J., Vilím, V. and Brzák, P., Participation of superoxide in luminol-dependent chemiluminescence triggered by mineral dust in rabbit alveolar macrophages, 239
Wilkinson, I., Jackson, C.-J. C., Lang, G. M., Holford-Strevens, V. and Sehon, A. H., Tolerogenic polyethylene glycol derivatives of xenogeneic monoclonal immunoglobulins, 17

Yodoi, J., see Tagaya, Y., 221
Yoshida, H., see Yoshida, M., 139
Yoshida, M., Yoshida, H., Muso, E., Tamura, T., Shimadai, T., Kawai, C. and Hamashima, Y., Clonotypic comparison of IgG anti-DNA antibodies of healthy subjects and systemic lupus erythematosus patients: studies on heterogeneity and avidity, 139
Yoshikawa, M., see Watanabe, M., 133
Yoshikumi, C., see Fujii, M., 347